Safety Attribute Inspection (SAI) Data Collection Tool 3.1.2 Flight Attendant Duties / Cabin Procedures (OP)

ELEMENT SUMMARY INFORMATION

Purpose of this Element (certificate holder's responsibility):

To ensure the safety of all cabin occupants during ground and flight operations.

Objective (FAA oversight):

- To determine if the certificate holder's Flight Attendant Duties/Cabin Procedures process meets all applicable requirements of Title 14 of the Code of Federal Regulations (14 CFR) and FAA policies.
- To determine if the certificate holder's Flight Attendant Duties/Cabin Procedures process incorporates the safety attributes.
- To identify any shortfalls in the certificate holder's Flight Attendant Duties/Cabin Procedures process.

Specific Instructions:

This element is applicable to operations conducted with or without flight attendants.

SUPPLEMENTAL INFORMATION

Specific Regulatory Requirements (SRRs):

- SRRs:
 - 121.135(a)(1)
 - 121.135(b)(1)
 - 121.135(b)(10)
 - 121.135(b)(11)
 - 121.135(b)(18)
 - 121.135(b)(2)
 - 121.135(b)(24)
 - 121.135(b)(3)
 - 121.137(b)
 - 121.306(a)
 - 121.306(b)(1)
 - 121.306(b)(2)
 - 121.306(b)(3)
 - 121.306(b)(4) 121.306(b)(5)
 - 121.000(b)(d)
 - 121.309(b)(1) 121.309(b)(2)
 - 121.333(a)
 - 121.333(d)
 - 121.333(f)
 - 121.337(c)(2)
 - 121.391(a)
 - 121.391(b)
 - 121.391(d)
 - 121.393(a)

SRRs:

121.393(b) 121.393(b)(1)(i) 121.393(b)(1)(ii) 121.393(b)(1)(iii) 121.393(b)(2) 121.393(b)(3) 121.397(a) 121.397(b) 121.542(b) 121.542(c) 121.549(b) 121.570(a) 121.570(b) 121.571(a) 121.571(a)(1)(i) 121.571(a)(1)(ii) 121.571(a)(1)(iii) 121.571(a)(1)(iv) 121.571(a)(1)(v)(A) 121.571(a)(1)(v)(B) 121.571(a)(1)(v)(C) 121.571(a)(1)(v)(D) 121.571(a)(2) 121.571(a)(3) 121.571(a)(4) 121.571(c) 121.573(a) 121.573(b) 121.573(c) 121.573(d) 121.574(a) 121.574(a)(7) 121.574(b) 121.574(c) 121.576 121.577 121.577(a) 121.577(b) 121.577(c) 121.577(d)

Related CFRs & FAA Policy/Guidance:

Related CFRs:

121.580 121.587

Intentionally left blank

FAA Policy/Guidance:

AC 120-48

AC 121-24C

AC 121-33B

AC 120-88A

FAA Order 8400.10, volume 3, chapter 16, section 4

FAA Order 8400.10, volume 3, chapter 16, section 6

Legal Interpretation of 14 CFR section 121.393 dated May 8, 2001

SAI SECTION 1 - PROCEDURES ATTRIBUTE

Objective: Procedures, instructions, and information contained in the certificate holder's manual are documented methods for accomplishing a process. Policies contained in the certificate holder's manual should establish the certificate holder's compliance posture. Policies may not be stand-alone statements but may be imbedded within procedures, instructions, or information regarding a particular regulatory requirement. The questions in this section of the data collection tool (DCT) are designed to assist the inspector in determining if the certificate holder's manual has documented or prescribed methods of accomplishing the process requirements that provide answers to the associated questions regarding who, what, when, where, and how. This section contains policy questions, procedural questions, and instructional or informational questions pertaining to various types of certificate holder requirements such as actions, prohibitions, or resources (i.e., personnel, facilities, equipment, technical data, etc.).

Tasi	Tasks		
	To meet this objective, the inspector must accomplish the following tasks:		
1.	Review the information listed in the Supplemental Information section of this DCT.		
2.	Review the duties and responsibilities for management and other personnel identified by the certificate holder who accomplish the Flight Attendant Duties/Cabin Procedures process.		
3.	Review the certificate holder's manual to ensure that it contains policies, procedures, instructions, and information necessary for the Flight Attendant Duties/Cabin Procedures process.		

Questions			
	To meet this objective, the inspector must answer the following questions:		
1.	Does the content of the certificate holder's manual meet the specific regulatory and FAA policy requirements for a Flight Attendant Duties/Cabin Procedures process:		
1.1.	Does the certificate holder's manual include instructions and information to provide the required number of flight attendants on each passenger-carrying airplane? SRRs: 121.135(a)(1); 121.391(a); 121.391(b)	☐ Yes ☐ No, Explain ☐ Not Applicable	
	Related Design JTIs:		
	1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to provide one flight attendant on each airplane with a maximum payload capacity of more than 7,500 pounds and having a seating capacity of more than 9 but less than 51 passengers.		
	Sources: 121.135(a)(1); 121.391(a)(1)		
	Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)		
	2. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to provide one flight attendant on each airplane with a maximum payload capacity of 7,500 pounds or less, and having a seating capacity of more than 19 but less than 51 passengers.		
	Sources: 121.135(a)(1); 121.391(a)(2)		
	Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)		
	 The Certificate Holder's manual contains instructions and information necessary for personnel concerned to provide two flight attendants on each airplane with a seating capacity of more than 50 but less than 101 passengers. 		
	Sources: 121.135(a)(1); 121.391(a)(3)		

necessary for personnel concerned to provide two flight attendants plus one additional flight attendant for each unit (or part of a unit) of 50 passenger seats above a seating capacity of 100 passengers on each airplane. Sources: 121.135(a)(1); 121.391(a)(4) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 1.2. Does the certificate holder's manual include instructions and information to have required flight attendants positioned during taxi, takeoff, and landing, as required by 14 CFR part 121, section 121.391(d)? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during take-off, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 2. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during landing, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder hamesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) Related Design JTis: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and s		 Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) The Certificate Holder's manual contains instructions and information 	
1.2. Does the certificate holder's manual include instructions and information to have required flight attendants positioned during taxi, takeoff, and landing, as required by 14 CFR part 121, section 121.391(d)? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during take-off, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 2. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during landing, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) Does the certificate holder's manual contains instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and		necessary for personnel concerned to provide two flight attendants plus one additional flight attendant for each unit (or part of a unit) of 50 passenger seats above a seating capacity of 100 passengers on each	
1.2. Does the certificate holder's manual include instructions and information to have required flight attendants positioned during taxi, takeoff, and landing, as required by 14 CFR part 121, section 121.391(d)? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during take-off, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 2. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during landing, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 1.3. Does the certificate holder's manual include instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to re		Sources: 121.135(a)(1); 121.391(a)(4)	
have required flight attendants positioned during taxi, takeoff, and landing, as required by 14 CFR part 121, section 121.391(d)? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during take-off, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 2. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during landing, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 1.3. Does the certificate holder's manual include instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened exce		Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
Related Design JTIs: The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during take-off, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d)	1.2.	have required flight attendants positioned during taxi, takeoff, and landing, as	☐ No, Explain
1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during take-off, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 2. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during landing, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 1.3. Does the certificate holder's manual include instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened during taxi, except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d)		SRRs: 121.135(a)(1); 121.391(d)	
necessary for personnel concerned to have, during take-off, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 2. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during landing, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 1.3. Does the certificate holder's manual include instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened during taxi, except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) For the airplane and its occupants.		Related Design JTIs:	
Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 2. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during landing, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 1.3. Does the certificate holder's manual include instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened during taxi, except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d)		necessary for personnel concerned to have, during take-off, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency	
2. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have, during landing, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 1.3. Does the certificate holder's manual include instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened during taxi, except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d)		Sources: 121.135(a)(1); 121.391(d)	
necessary for personnel concerned to have, during landing, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency evacuation. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 1.3. Does the certificate holder's manual include instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened during taxi, except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d)		Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 1.3. Does the certificate holder's manual include instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened during taxi, except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d)		necessary for personnel concerned to have, during landing, flight attendants located as near as practicable to required floor level exits and uniformly distributed throughout the airplane in order to provide the most effective egress of passengers in event of an emergency	
3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 1.3. Does the certificate holder's manual include instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened during taxi, except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d)		Sources: 121.135(a)(1); 121.391(d)	
necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. **Sources: 121.135(a)(1); 121.391(d) **Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 1.3. Does the certificate holder's manual include instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened during taxi, except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) **Related Design JTIs:** 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. **Sources: 121.135(a)(1); 121.391(d)**		Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
1.3. Does the certificate holder's manual include instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened during taxi, except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d)		necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants.	
1.3. Does the certificate holder's manual include instructions and information to have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened during taxi, except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d)			
have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened during taxi, except to perform duties related to the safety of the airplane and its occupants? SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d)		Interraces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
 SRRs: 121.135(a)(1); 121.391(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) 	1.3.	have required flight attendants remain at their duty stations with safety belts and shoulder harnesses fastened during taxi, except to perform duties related	☐ No, Explain
 Related Design JTIs: The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d) 			
1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d)			
necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to the safety of the airplane and its occupants. Sources: 121.135(a)(1); 121.391(d)			
		necessary for personnel concerned to, during taxi, have flight attendants required to remain at their duty stations with safety belts and shoulder harnesses fastened except to perform duties related to	
Interfaces: 2.1.1(AW): 2.1.1(OP): 4.2.4(OP)		Sources: 121.135(a)(1); 121.391(d)	
(***),(***)		Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	

1.4.	meet th	ne certificate holder's manual include instructions and information to ne requirements of 14 CFR part 121, section 121.393, at stops where agers remain onboard?	☐ Yes ☐ No, Explain
		121.135(a)(1); 121.393(b); 121.393(b)(1)(i); 121.393(b)(1)(ii); 3(b)(1)(iii); 121.393(b)(2); 121.393(b)(3)	
		d Design JTIs:	
	1.	The Certificate Holder's manual contains instructions and information necessary for personnel concerned to ensure that at stops where passengers remain on board, the airplane engines are shut down when the number of flight attendants remaining on board is fewer than the flight attendant(s) required by 121.391(a).	
		Sources: 121.135(a)(1); 121.393(b)(1)(i)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	2.	The Certificate Holder's manual contains instructions and information necessary for personnel concerned to ensure that at stops where passengers remain on board, that at least one floor level exit remains open to provide for the deplaning of passengers when the number of flight attendants remaining on board is fewer than the required flight attendant complement.	
		Sources: 121.135(a)(1); 121.393(b)(1)(ii)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
	3.	The Certificate Holder's manual contains instructions and information necessary for personnel concerned to ensure that at stops where passengers remain on board, the number of flight attendants on board is at least half the number required, rounded down to the next lower number in the case of fractions, but never fewer than one.	
		Sources: 121.135(a)(1); 121.393(b)(1)(iii)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
	4.	The Certificate Holder's manual contains instructions and information to personnel concerned that at a stops where passengers remain onboard and the flight attendants remaining onboard is fewer than required by 121.391(a), the Certificate Holder may substitute other persons qualified in the emergency evacuation procedures, if these persons are identified to the passengers. Sources: 121.135(a)(1); 121.393(b)(2)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	5.	The Certificate Holder's manual contains instructions and information to personnel concerned that at a stops where passengers remain onboard and the flight attendants remaining onboard is fewer than required by 121.391(a), and only one flight attendant or other qualified person is onboard, that flight attendant or other qualified person shall be located in accordance with the Certificate Holder's FAA-approved operating procedures.	
		Sources: 121.135(a)(1); 121.393(b)(3)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	6.	The Certificate Holder's manual contains instructions and information to personnel concerned that at a stops where passengers remain onboard that if more than one flight attendant or other qualified person is on board during a stop, the flight attendants or other qualified	

	persons shall be spaced throughout the cabin to provide the most effective assistance for evacuation in case of an emergency. Sources: 121.135(a)(1); 121.393(b)(3) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.5.	For airplanes on which flight attendants are not required, does the certificate holder's manual include instructions and information for stops where passengers remain onboard that address the requirements of 14 CFR part 121, section 121.393(a)? SRRs: 121.135(a)(1); 121.393(a) Related Design JTIs:	☐ Yes ☐ No, Explain ☐ Not Applicable
	1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to ensure that on each airplane for which a flight attendant is not required by 121.393(a), a person who is qualified in the emergency evacuation procedures for the airplane in 121.417 and who is identified to the passengers remains near by the airplane in a position to adequately monitor passenger safety and the airplane engines are shut down and at least one floor level exit remains open for the deplaning of passengers.	
	Sources: 121.135(a)(1); 121.393(a) Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
1.6.	Does the certificate holder's manual include instructions and information for each crewmember to have a flashlight in good working order readily available for use on each flight?	Yes No, Explain
	SRRs: 121.135(a)(1); 121.549(b)	
	Related Design JTIs:	
	 The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to have each crewmember on each flight, have readily available for his or her use a flashlight that is in good working order. Sources: 121.135(a)(1); 121.549(b) 	
	Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.7.	Does the certificate holder's manual include instructions and information to prohibit any passenger-carrying airplane from being moved on the surface, taking off, or landing unless each automatically deployable emergency evacuation assisting means, installed under 14 CFR part 121, section 121.310(a), is ready for evacuation?	Yes No, Explain Not Applicable
	SRRs: 121.135(a)(1); 121.570(a)	
	Related Design JTIs: 1. The Certificate Holder's manual system contains instructions and	
	information necessary for personnel concerned to prohibit a person from causing an airplane carrying passengers to be moved on the surface unless each automatically deployable emergency evacuation assisting means is ready for evacuation. Sources: 121.135(a)(1); 121.570(a)	
	Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	

	 The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to prohibit any person from causing an airplane carrying passengers to take off unless each automatically deployable emergency evacuation assisting means is ready for evacuation. Sources: 121.135(a)(1); 121.570(a) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP) The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to prohibit a person from causing an airplane carrying passengers to land unless each automatically deployable emergency evacuation assisting means is ready for evacuation. 	
	Sources: 121.135(a)(1); 121.570(a) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.8.	Does the certificate holder's manual include instructions and information to ensure that, whenever passengers are onboard before airplane movement on the surface, at least one floor-level exit is available for passengers to use by normal or emergency means? SRRs: 121.135(a)(1); 121.570(b)	☐ Yes ☐ No, Explain
1.9.	Does the certificate holder's manual provide instructions and information to prohibit the use of any portable electronic device on any U.Sregistered civil aircraft operating under part 121 except as provided by section 121.306(b)? SRRs: 121.135(a)(1); 121.306(a) Related Design JTIs: 1. The Certificate Holder's manual system provides information and instruction to personnel concerned that non-prohibited electronic devices may be used on any U.S. registered civil aircraft under 14CFR Part 121. Sources: 121.135(a)(1); 121.306(a); 121.306(b)(1); 121.306(b)(2); 121.306(b)(3); 121.306(b)(4); 121.306(b)(5) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.1(OP); 3.1.3(OP); 4.2.4(OP)	Yes No, Explain
1.10.	Does the certificate holder's manual include information on what portable electronic devices are not prohibited under 14 CFR part 121, section 121.306(b)? SRRs: 121.135(a)(1); 121.306(b)(1); 121.306(b)(2); 121.306(b)(3); 121.306(b)(4); 121.306(b)(5) Related Design JTIs: 1. The Certificate Holder's manual system provides information and instruction to personnel concerned that non-prohibited electronic devices may be used on any U.S. registered civil aircraft under 14CFR Part 121. Sources: 121.135(a)(1); 121.306(a); 121.306(b)(1); 121.306(b)(2); 121.306(b)(3); 121.306(b)(4); 121.306(b)(5) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.1(OP); 3.1.3(OP); 4.2.4(OP)	☐ Yes ☐ No, Explain

1.11.	Does the certificate holder's manual include instructions and information regarding the use of oxygen for each cabin attendant as required by 14 CFR part 121, section 121.333(d)? SRRs: 121.135(a)(1); 121.333(d) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have each attendant, during flight above flight level 250 flight altitude, carry portable oxygen equipment with at least a 15-minute supply of oxygen unless it is shown that enough portable oxygen units with masks or spare outlets and masks are distributed throughout the cabin to ensure immediate availability of oxygen to each cabin attendant, regardless of his location at the time of cabin depressurization. Sources: 121.135(a)(1); 121.333(d) Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	Yes No, Explain Not Applicable
1.12.	Does the certificate holder's manual include instructions and information for a crewmember to provide the instructions and demonstrations for passengers on the use of oxygen before flight is conducted above flight level 250? SRRs: 121.135(a)(1); 121.333(f) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have a crewmember instruct the passengers, before flight is conducted above flight level 250, on the necessity of using oxygen, in the event of cabin depressurization. Sources: 121.135(a)(1); 121.333(f) Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 2. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have a crewmember point out to the passengers the location of the oxygen-dispensing equipment before flight is conducted above flight level 250. Sources: 121.135(a)(1); 121.333(f) Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have a crewmember demonstrate to the passengers the use of the oxygen-dispensing equipment, before flight is conducted above flight level 250. Sources: 121.135(a)(1); 121.333(f) Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	☐ Yes ☐ No, Explain ☐ Not Applicable
1.13.	Does the certificate holder's manual include instructions and information to provide and use means to prevent: SRRs: 121.135(a)(1); 121.576	
1.13.1	Each item of galley equipment from becoming a hazard by shifting under emergency landing conditions? SRRs: 121.576 Related Design JTIs: 1. The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to prevent each item of	Yes No, Explain Not Applicable

	galley equipment and each serving cart, when not in use which is carried in a passenger or crew compartment from becoming a hazard by shifting under the appropriate load factors corresponding to the emergency landing conditions under which the airplane was type certificated. Sources: 121.135(a)(1); 121.576 Interfaces: 1.3.1(AW); 1.3.9(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.5(OP); 3.1.8(OP); 4.2.4(OP)	
1.13.2	Each serving cart, when not in use, from becoming a hazard by shifting under emergency landing conditions? SRRs: 121.576	☐ Yes ☐ No, Explain ☐ Not Applicable
	Related Design JTIs:	
	 The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to prevent each item of galley equipment and each serving cart, when not in use which is carried in a passenger or crew compartment from becoming a hazard by shifting under the appropriate load factors corresponding to the emergency landing conditions under which the airplane was type certificated. 	
ı	Sources: 121.135(a)(1); 121.576	
	Interfaces: 1.3.1(AW); 1.3.9(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.5(OP); 3.1.8(OP); 4.2.4(OP)	
1.13.3	Each item of crew baggage carried in a passenger or crew compartment from becoming a hazard by shifting under emergency landing conditions? SRRs: 121.576 Related Design JTIs:	☐ Yes ☐ No, Explain
	 The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to prevent each item of crew baggage, which is carried in a passenger or crew compartment from becoming a hazard by shifting under the appropriate load factors corresponding to the emergency landing conditions under which the airplane was type certificated. 	
ı	Sources: 121.135(a)(1); 121.576	
	Interfaces: 1.3.1(AW); 1.3.9(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.5(OP); 3.1.8(OP); 4.2.4(OP)	
1.14.	Does the certificate holder's manual include instructions and information to prohibit an airplane from moving on the surface, taking off, or landing unless: SRRs: 121.135(a)(1); 121.577	
1.14.1	No food, beverage, or tableware furnished by the certificate holder is located at any passenger seat? SRRs: 121.577(a)	Yes No, Explain Not Applicable
	Related Design JTIs:	
	 The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to not permit an airplane to land when any food, beverage, or tableware furnished by the Certificate Holder is located at any passenger seat. Sources: 121.135(a)(1); 121.577(a) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 	
	n_{1}	

	4.2.4(OP)	
1.14.2	 Each food and beverage tray and seat back tray table is secured in its stowed position? SRRs: 121.577(b) Related Design JTIs: 1. The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to not permit an airplane to move on the surface unless each food and beverage tray and seat back tray table is secured in its stowed position. Sources: 121.135(a)(1); 121.577(b) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP) 	Yes No, Explain Not Applicable
1.14.3	 Each passenger serving cart is secured in its stowed position? SRRs: 121.577(c) Related Design JTIs: 1. The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to not permit an airplane to move on the surface unless each passenger serving cart is secured in its stowed position. Sources: 121.135(a)(1); 121.577(c) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP) 	Yes No, Explain Not Applicable
1.14.4	 Each movie screen that extends into an aisle is stowed? SRRs: 121.577(d) Related Design JTIs: 1. The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to not permit an airplane to move on the surface unless each movie screen that extends into an aisle is stowed. Sources: 121.135(a)(1); 121.577(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP) 	Yes No, Explain Not Applicable
1.15.	Does the certificate holder's manual provide instructions to designate at least one crewmember to check the protective breathing equipment (PBE) that is not located at a flight crewmember station before that crewmember takes off in that airplane for his or her first flight of the day? SRRs: 121.135(a)(1); 121.337(c)(2) Related Design JTIs: 1. The Certificate Holder has in its operations manual designated at least one crewmember to perform the PBE checks before he or she takes off in that airplane for his or her first flight of the day. Sources: 121.337(c)(2) Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	☐ Yes ☐ No, Explain
1.16.	Does the certificate holder's manual contain instructions and information for	Yes

	one designated crewmember to perform the PBE check required by 14 CFR part 121, section 121.337, before the crewmember takes off in that airplane for his or her first flight of the day? SRRs: 121.337(c)(2) Related Design JTIs: 1. The Certificate Holder's manual contains instructions and information	☐ No, Explain
	necessary for personnel concerned to have each item of PBE located at other than a flight crewmember duty station checked by a designated crewmember to ensure that each is properly stowed. Sources: 121.135(a)(1); 121.337(c)(2)	
	Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
	 The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have each item of PBE located at other than a flight crewmember duty station checked by a designated crewmember to ensure that each is serviceable. 	
	Sources: 121.135(a)(1); 121.337(c)(2)	
	Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
	3. The Certificate Holder's manual contains instructions and information necessary for personnel concerned to have each item of PBE located at other than a flight crewmember duty station checked by a designated crewmember to ensure that each is properly charged, if not chemically generated.	
	Sources: 121.135(a)(1); 121.337(c)(2)	
	Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
1.17.	Does the certificate holder's manual contain instructions and information for personnel concerned to ensure the condition for continued servicability and immediate readiness of items of emergency equipment to perform their intended purposes?	Yes No, Explain
	SRRs: 121.135(b)(24); 121.309(b)(1)	
	Related Design JTIs:	
	1. The Certificate Holder's manual system includes instructions and information to personnel concerned that each item of emergency equipment must be inspected regularly in accordance with inspection periods established in the operations specifications to ensure its condition for continued serviceability and immediate readiness to perform its intended emergency purposes. Sources: 121.135(a)(1); 121.309(b)(1) Interfaces: 1.3.1(AW); 1.3.2(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)	
	The Certificate Holder's manual system includes instructions and information to personnel concerned that each item of flotation equipment must be inspected regularly in accordance with inspection periods established in the operations specifications to ensure its condition for continued serviceability and immediate readiness to perform its intended emergency purposes. Sources: 121.135(a)(1); 121.309(b)(1) Interfaces: 1.3.1(AW); 1.3.2(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)	
1.18.	Does the certificate holder's manual contain instructions and information to personnel concerned that each item of emergency equipment must remain	Yes

	readily accessible to crew and to passengers, as applicable?	☐ No, Explain
	SRRs: 121.135(b)(24); 121.309(b)(2)	
	Related Design JTIs:	
	 The Certificate Holder's manual system includes instructions and information to personnel concerned that each item of emergency equipment must be readily accessible to the crew. 	
	Sources: 121.135(a)(1); 121.309(b)(2)	
	Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	 The Certificate Holder's manual system includes instructions and information to personnel concerned that each item of flotation equipment must be readily accessible to the crew. 	
	Sources: 121.135(a)(1); 121.309(b)(2)	
	Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	 The Certificate Holder's manual system includes instructions and information to personnel concerned that each item of emergency equipment in the passenger compartment must be readily accessible to passengers. 	
	Sources: 121.135(a)(1); 121.309(b)(2)	
	Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.1(OP); 3.1.3(OP); 4.2.4(OP)	
	 The Certificate Holder's manual system includes instructions and information to personnel concerned that each item of flotation equipment in the passenger compartment must be readily accessible to passengers. 	
	Sources: 121.135(a)(1); 121.309(b)(2) Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.19.	Does the certificate holder's manual contain procedures for supervising and protecting passengers during refueling? SRRs: 121.135(b)(18)	☐ Yes ☐ No, Explain
	Related Design JTIs:	
	 The Certificate Holder's manual system includes procedures for supervising and protecting passengers during refueling. Sources: 121.135(b)(18) 	
	Interfaces: 1.3.16(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.1(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP)	
1.20.	Does the certificate holder's manual specify that the pilot in command of an airplane that has a lockable flightcrew compartment door and that is carrying passengers will ensure that the flight deck door is locked during flight? SRRs: 121.587	☐ Yes ☐ No, Explain ☐ Not Applicable
1.21.	Does the certificate holder's manual contain procedures for familiarizing passengers with the use of emergency equipment and procedures for the use of that equipment?	☐ Yes ☐ No, Explain
	SRRs: 121.135(b)(10); 121.135(b)(11)	
	Related Design JTIs:	
	1. The Certificate Holder's manual system includes procedures for	

	familiarizing passengers with the use of emergency equipment, during flight. Sources: 121.135(b)(10) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.1(OP); 4.2.4(OP)	
1.22.	Does the certificate holder's manual contain instructions and information to prohibit nonessential communications between the cabin and cockpit crews that could interfere with or distract any flight crewmember from the performance of his or her duties during critical phases of flight? SRRs: 121.135(a)(1); 121.542(b); 121.542(c) Related Design JTIs: 1. The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to prohibit activities such as engaging in non-essential conversations within the cockpit and non-essential communication between the cabin and cockpit crews during critical phases of flight. Sources: 121.135(a)(1); 121.542(b) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	☐ Yes ☐ No, Explain
1.23.	Does the certificate holder's manual contain information that no person may assault, threaten, intimidate, or interfere with a crewmember in the performance of the crewmember's duties onboard an aircraft being operated under 14 CFR part 121? SRRs: 121.135(b)(24); 121.580 Related Design JTIs: 1. The Certificate Holder's manual system contains instructions and information to personnel concerned that no person may assault, threaten, intimidate, or interfere with a crewmember in the performance of the crewmember's duties aboard an aircraft being operated under 14 CFR Part 121. Sources: 121.135(a)(1); 121.580 Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	☐ Yes ☐ No, Explain
1.24.	Does the certificate holder's manual contain procedures to ensure that all passengers are orally briefed by the appropriate crewmember before each takeoff on the:	
1.24.1	 Smoking requirements identified in 14 CFR part 121, section 121.571(a)(1)(i)? SRRs: 121.571(a)(1)(i); 121.571(c) Related Design JTIs: The Certificate Holder's manual system includes procedures to ensure that all passengers are orally briefed by the appropriate crewmember before each takeoff on when, where, and under what conditions smoking is prohibited. Sources: 121.571(a)(1)(i); 121.571(c) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP) The Certificate Holder's manual system includes procedures to ensure that passenger briefings include a statement that the Federal Aviation Regulations require passenger compliance with the lighted passenger 	☐ Yes ☐ No, Explain

	information signs, posted placards, areas designated for safety purposes as no smoking areas, and crewmember instructions with regard to these items. **Sources: 121.571(a)(1)(i); 121.571(c) **Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual system includes procedures to ensure that passenger briefings include a statement that Federal law prohibits tampering with, disabling, or destroying any smoke detector in an airplane lavatory; smoking in lavatories; and, when applicable, smoking in passenger compartments. **Sources: 121.571(a)(1)(i); 121.571(c) **Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
1.24.2	Location of emergency exits?	Yes
	SRRs: 121.571(a)(1)(ii); 121.571(c)	☐ No, Explain
	Related Design JTIs: 1. The Certificate Holder's manual system includes procedures to ensure	
	that all passengers are orally briefed by the appropriate crewmember before each takeoff on the location of emergency exits.	
	Sources: 121.571(a)(1)(ii); 121.571(c)	
	Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
1.24.3	Use of safety belts and instructions as required by 14 CFR part 121, section 121.571(a)(1)(iii)?	☐ Yes ☐ No, Explain
	SRRs: 121.571(a)(1)(iii); 121.571(c)	
	Related Design JTIs:	
	 The Certificate Holder's manual system includes procedures to ensure that all passengers are orally briefed by the appropriate crewmember before each takeoff on the use of safety belts, including instructions on how to fasten and unfasten the safety belts. Sources: 121.571(a)(1)(iii); 121.571(c) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP) 	
	 The Certificate Holder's manual system includes procedures to ensure that each passenger shall be briefed before each take off on when, where, and under what conditions the safety belt must be fastened about that passenger. 	
	Sources: 121.571(a)(1)(iii); 121.571(c)	
	Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
	3. The Certificate Holder's manual system includes procedures to ensure before each take-off that briefings shall include a statement that the Federal Aviation Regulations require passenger compliance with lighted passenger information signs and crewmember instructions concerning the use of safety belts.	
	Sources: 121.571(a)(1)(iii); 121.571(c)	
	Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
1.24.4	Location and use of any required emergency flotation means?	Yes
1.24.4	SRRs: 121.571(a)(1)(iv); 121.571(c)	│
	Related Design JTIs:	
	The Certificate Holder's manual system includes procedures to ensure	

		that all passengers are orally briefed by the appropriate crewmember before each takeoff on the location and use of any required emergency flotation means. Sources: 121.571(a)(1)(iv); 121.571(c)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
1.25.	operation operation by the a	ne certificate holder's manual contain procedures to ensure that, on ons that do not use a flight attendant, all passengers are orally briefed appropriate crewmember before each takeoff, on the information d by 14 CFR part 121, section 121.571(a)(1)(v)(A-D)?	Yes No, Explain Not Applicable
	121.57	121.571(a)(1)(v)(A); 121.571(a)(1)(v)(B); 121.571(a)(1)(v)(C); 1(a)(1)(v)(D); 121.571(c)	
	Related	d Design JTIs:	
	1.	The Certificate Holder's manual system includes procedures to ensure that on operations that do not use a flight attendant, that all passengers are orally briefed by the appropriate crewmember on the placement of seat backs in an upright position before takeoff.	
		Sources: 121.571(a)(1)(v)(A); 121.571(c)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
	2.	The Certificate Holder's manual system includes procedures to ensure that on operations that do not use a flight attendant, that all passengers are orally briefed by the appropriate crewmember on the placement of seat backs in an upright position before landing.	
		Sources: 121.571(a)(1)(v)(A); 121.571(c)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
	3.	The Certificate Holder's manual system includes procedures to ensure that on operations that do not use a flight attendant all passengers are orally briefed by the appropriate crewmember before each takeoff on the location of survival equipment.	
		Sources: 121.571(a)(1)(v)(B); 121.571(c)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
	4.	The Certificate Holder's manual system includes procedures to ensure that on operations that do not use a flight attendant, that all passengers are orally briefed by the appropriate crewmember before each takeoff if the flight involves operations above 12,000 MSL on the normal use of oxygen.	
		Sources: 121.571(a)(1)(v)(C); 121.571(c)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
	5.	The Certificate Holder's manual system includes procedures to ensure that on operations that do not use a flight attendant, that all passengers are orally briefed by the appropriate crewmember before each takeoff if the flight involves operations above 12,000 MSL on the emergency use of oxygen.	
		Sources: 121.571(a)(1)(v)(C); 121.571(c)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
	6.	The Certificate Holder's manual system includes procedures to ensure that on operations that do not use a flight attendant, that all passengers are orally briefed by the appropriate crewmember before each takeoff on the location of fire extinguisher.	
		Sources: 121.571(a)(1)(v)(D); 121.571(c)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	

	7. The Certificate Holder's manual system includes procedures to ensure that on operations that do not use a flight attendant, that all passengers	
	are orally briefed by the appropriate crewmember before each takeoff on the operation of fire extinguisher.	
	Sources: 121.571(a)(1)(v)(D); 121.571(c)	
	Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
1.26.	Does the certificate holder's manual contain procedures for a required crewmember assigned to the flight to, before each takeoff, conduct an individual briefing with each person who may need the assistance of another person to move quickly to an exit in the event of an emergency, as required by 14 CFR part 121, section 121.571(a)(3) and (a)(4)?	☐ Yes ☐ No, Explain
	SRRs: 121.571(a)(3); 121.571(a)(4); 121.571(c)	
	Related Design JTIs:	
	1. The Certificate Holder's manual system includes procedures to ensure that before each takeoff a required crewmember assigned to the flight shall conduct an individual briefing of each person who may need the assistance of another person to move expeditiously to an exit in the event of an emergency. In the briefing the required crewmember shall brief the person and his attendant, if any, on the routes to each appropriate exit in the event of an emergency. Sources: 121.571(a)(3)(i); 121.571(c) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
	2. The Certificate Holder's manual system includes procedures to ensure that before each takeoff a required crewmember assigned to the flight shall conduct an individual briefing of each person who may need the assistance of another person to move expeditiously to an exit in the event of an emergency. In the briefing the required crewmember shall brief the person and his attendant, if any, on the most appropriate time to begin moving to an exit in the event of an emergency. Sources: 121.571(a)(3)(i); 121.571(c) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
	3. The Certificate Holder's manual system includes procedures to ensure that before each takeoff a required crewmember assigned to the flight shall conduct an individual briefing of each person who may need the assistance of another person to move expeditiously to an exit in the event of an emergency. In the briefing the required crewmember shall inquire of the person and his attendant, if any, as to the most appropriate manner of assisting the person so as to prevent pain and further injury. Sources: 121.571(a)(3)(ii); 121.571(c) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
	4. The Certificate Holder's manual system includes procedures that a briefing is not required for a person who may need assistance, when they have been given a briefing before a previous leg of a flight in the same aircraft when the crewmembers on duty have been advised as to the most appropriate manner of assisting the person so as to prevent pain and further injury. Sources: 121.571(a)(4); 121.571(c) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
1.27.	Does the certificate holder's manual contain procedures to ensure that in	Yes

extended overwater operations the appropriate crewmember orally briefs all No, Explain passengers on the location and operation of life preservers, liferafts, and other ■ Not Applicable flotation means, including a demonstration of the method of donning and inflating a life preserver? SRRs: 121.573(a); 121.573(b) Related Design JTIs: 1. The Certificate Holder's manual system includes procedures that when operating an airplane in extended overwater operations all passengers are orally briefed by the appropriate crewmember on the location of life preservers. Sources: 121.573(a); 121.573(b) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP) 2. The Certificate Holder's manual system includes procedures that when operating an airplane in extended overwater operations all passengers are orally briefed by the appropriate crewmember on the operation of life preservers. Sources: 121.573(a); 121.573(b) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual system includes procedures that when operating an airplane in extended overwater operations all passengers are orally briefed by the appropriate crewmember on the location liferafts. Sources: 121.573(a); 121.573(b) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP) 4. The Certificate Holder's manual system includes procedures that when operating an airplane in extended overwater operations all passengers are orally briefed by the appropriate crewmember on the operation of liferafts. Sources: 121.573(a); 121.573(b) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP) 5. The Certificate Holder's manual system includes procedures that when operating an airplane in extended overwater operations all passengers are orally briefed by the appropriate crewmember on the location of other flotation means. Sources: 121.573(a); 121.573(b) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP) 6. The Certificate Holder's manual system includes procedures that when operating an airplane in extended overwater operations all passengers are orally briefed by the appropriate crewmember on the operation of other flotation means. Sources: 121.573(a); 121.573(b) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP) 7. The Certificate Holder's manual system includes procedures that when operating an airplane in extended overwater operations all passengers receive a demonstration of the method of donning a life preserver. Sources: 121.573(a); 121.573(b) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP) The Certificate Holder's manual system includes procedures that when 8. operating an airplane in extended overwater operations all passengers receive a demonstration of the method inflating a life preserver.

Sources: 121.573(a); 121.573(b)

	Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
1.28.	Does the certificate holder's manual contain procedures to ensure that after each takeoff, all passengers are orally briefed by the appropriate crewmember immediately before or immediately after turning the seatbelt sign off, that passengers should keep their seatbelts fastened while seated, even when the seatbelt sign is off? SRRs: 121.571(a)(2); 121.571(c) Related Design JTIs: 1. The Certificate Holder's manual system includes procedures to ensure that after each takeoff, immediately before or immediately after turning the seat belt sign off, an announcement shall be made that all passengers should keep their seat belts fastened, while seated, even when the seat belt sign is off. Sources: 121.571(a)(2); 121.571(c) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	☐ Yes ☐ No, Explain
4.00	Dood the contificate helderly many all contains are advised to account the Co	
1.29.	Does the certificate holder's manual contain procedures to ensure that in extended overwater operations:	
1.29.1	If the airplane proceeds directly over water after takeoff, the briefing required by 14 CFR part 121, section 121.573(a), is done before takeoff? SRRs: 121.573(b); 121.573(c) Related Design JTIs: 1. The Certificate Holder's manual system includes procedures that if the airplane proceeds directly over water after takeoff, the briefing must be done before takeoff. Sources: 121.573(b); 121.573(c) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	Yes No, Explain Not Applicable
1.29.2	If the airplane does not proceed directly over water after takeoff, the entire briefing required by 14 CFR part 121, section 121.573(a), is given before reaching the overwater part of the flight? SRRs: 121.573(b); 121.573(d) Related Design JTIs: 1. The Certificate Holder's manual system includes procedures that if the airplane does not proceed directly over water after takeoff, no part of the briefing has to be given before takeoff, but the entire briefing must be given before reaching the overwater part of the flight. Sources: 121.573(b); 121.573(d) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	Yes No, Explain Not Applicable
1.30.	Does the certificate holder's manual state that crewmembers must have the required manual or appropriate parts of it accessible when performing assigned duties? SRRs: 121.135(b)(24); 121.137(b) Related Design JTIs: 1. The Certificate Holder's manual system includes instructions and information to personnel concerned so that flight attendant(s) have the required manual or appropriate parts of it accessible when performing	☐ Yes ☐ No, Explain

	assigned duties.	
	Sources: 121.135(a)(1); 121.137(b)	
	Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.3(AW); 2.1.3(OP); 2.1.4(AW); 2.1.4(OP); 4.2.4(OP)	
1.31.	Does the certificate holder's manual contain instructions and information to personnel concerned that comply with 14 CFR part 121, section 121.574?	Yes No, Explain Not Applicable
	SRRs: 121.135(b)(24); 121.574(a); 121.574(a)(7); 121.574(b); 121.574(c)	
	 Related Design JTIs: The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to allow a passenger to carry and operate equipment for the storage, generation, or dispensing of oxygen when each person using the equipment is seated, so as not to restrict access to or use of any required emergency, or regular exit or of the aisle in the passenger compartment.	
	equipment. Sources: 121.135(a)(1); 121.574(b)	
	Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.1(OP); 4.2.4(OP); 5.1.5(OP)	
	3. The Certificate Holder's manual system contains instructions and information necessary for personnel concerned to prohibit any person to connect or disconnect oxygen dispensing equipment, to or from a gaseous oxygen cylinder while any passenger is aboard the airplane.	
	Sources: 121.135(a)(1); 121.574(c)	
	Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.1(OP); 4.2.4(OP); 5.1.5(OP)	
1.32.	Does the certificate holder's Flight Attendant Duties/Cabin Procedures process comply with the guidance contained in Order 8400.10, volume 3, chapter 16, section 4, paragraph 2295?	☐ Yes ☐ No, Explain
1.33.	Does the certificate holder's Flight Attendant Duties/Cabin Procedures process comply with the guidance contained in Order 8400.10, volume 3, chapter 16, section 4, paragraph 2297? Related Design JTIs:	Yes No, Explain Not Applicable
	 The certificate holder's manual states that the flight attendants must be uniformly distributed throughout the operation of flight, including when the aircraft is parked at the gate and during movement on the surface, to provide passengers the most effective egress in the event of aircraft evacuation. 	
	Sources: 8400.10, volume 3, chapter 16, section 4, paragraph 2297	
	Interfaces: 2.1.1(OP); 3.1.1(OP); 4.2.4(OP)	
	 The certificate holder's manual states that flight attendants shall not congregate in one area (such as the first class cabin) when passengers are on board. 	

		Sources: 8400.10, volume 3, chapter 16, section 4, paragraph 2297	
		Interfaces: 2.1.1(OP); 4.2.4(OP)	
	3.	The certificate holder's manual states the location of required flight attendant stations that is not be contrary to the Type Certification Data Sheet of the Flight Standards Board (FSB) report for that aircraft.	
		Sources: 8400.10, volume 3, chapter 16, section 4, paragraph 2297	
		Interfaces: 2.1.1(OP); 4.2.4(OP)	
1.34.	comply section	he certificate holder's Flight Attendant Duties/Cabin Procedures process with the guidance contained in Order 8400.10, volume 3, chapter 16, 4, paragraph 2301? If Design JTIs:	☐ Yes ☐ No, Explain ☐ Not Applicable
	1.	The certificate holder's instructions and information to personnel concerned state that supernumerary personnel are to be seated during take-off.	
		Sources: 8400.10, volume 3, chapter 16, section 4, paragraph 2301	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
	2.	The certificate holder's instructions and information to personnel concerned state that supernumerary personnel are to be seated during landing.	
		Sources: 8400.10, volume 3, chapter 16, section 4, paragraph 2301	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
	3.	The certificate holder's instructions and information to personnel concerned state that supernumerary personnel are to be seated during surface movement.	
		Sources: 8400.10, volume 3, chapter 16, section 4, paragraph 2301	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
	4.	The certificate holder's instructions and information to personnel concerned state that supernumerary personnel must comply with the seat belt requirements of 121.317.	
		Sources: 8400.10, volume 3, chapter 16, section 4, paragraph 2301	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
1.35.	comply section	he certificate holder's Flight Attendant Duties/Cabin Procedures process with the guidance contained in Order 8400.10, volume 3, chapter 16, 6, paragraph 2379? In the distribution of th	Yes No, Explain
		<u> </u>	
	1.	The certificate holder's instructions and information relating to child restraint devices tell personnel concerned that a flight attendant must check with the child's parent to ensure that the car seat is approved.	
		Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2379	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.5(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP)	
	2.	The certificate holder's instructions and information relating to child restraint devices state that a flight attendant must check with the child's parent to ensure that the car seat is the right size and weight.	
		Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2379	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.5(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP)	
	3.	The certificate holder's instructions and information relating to child	

parent to ensure that the child is properly restrained. Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2379 Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.5(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP) 4. The certificate holder's instructions and information relating to child restraint devices state that a flight attendant must check with the child's parent to ensure that the car seat is properly installed in a forward-facing passenger seat. Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2379 Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.5(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP) 5. The certificate holder's instructions and information relating to child restraint devices state that flight attendants should be aware of the following item pertaining to child restraint systems: the child restraint system should have a solid back and seat.
 Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.5(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP) The certificate holder's instructions and information relating to child restraint devices state that a flight attendant must check with the child's parent to ensure that the car seat is properly installed in a forward-facing passenger seat. Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2379 Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.5(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP) The certificate holder's instructions and information relating to child restraint devices state that flight attendants should be aware of the following item pertaining to child restraint systems: the child restraint
restraint devices state that a flight attendant must check with the child's parent to ensure that the car seat is properly installed in a forward-facing passenger seat. Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2379 Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.5(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP) The certificate holder's instructions and information relating to child restraint devices state that flight attendants should be aware of the following item pertaining to child restraint systems: the child restraint
 Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.5(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP) 5. The certificate holder's instructions and information relating to child restraint devices state that flight attendants should be aware of the following item pertaining to child restraint systems: the child restraint
5. The certificate holder's instructions and information relating to child restraint devices state that flight attendants should be aware of the following item pertaining to child restraint systems: the child restraint
and the state of t
Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2379
Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.5(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP)
6. The certificate holder's instructions and information relating to child restraint devices state that flight attendants should be aware of the following item pertaining to child restraint systems: the child restraint system should have restraint straps installed.
Sources: 8400.10, volume 3, chapter 16, section 6,paragraph 2379
Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.5(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP)
7. The certificate holder's instructions and information relating to child restraint devices state that flight attendants should be aware of the following items pertaining to child restraint systems: the child restraint system should have labels stating approved for aviation use.
Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2379
Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.5(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP)
8. The certificate holder's instructions and information state that flight attendants should be aware of the following items pertaining to child restraint systems: the child restraint system should have instructions on the label for its use.
Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2379
Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.5(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP)
1.36. Does the certificate holder's Flight Attendant Duties/Cabin Procedures process comply with the guidance contained in Order 8400.10, volume 3, chapter 16, section 6, paragraph 2383? ☐ №, Explain
comply with the guidance contained in Order 8400.10, volume 3, chapter 16, section 6, paragraph 2383? Related Design JTIs:
comply with the guidance contained in Order 8400.10, volume 3, chapter 16, section 6, paragraph 2383? **Related Design JTIs:** 1. The certificate holder's instructions and information to personnel concerned state that a crewmember should announce that, "the flight will be landing shortly, now is the time to use the lavatory or move about the cabin, and once the seat belt sign is illuminated, passengers
comply with the guidance contained in Order 8400.10, volume 3, chapter 16, section 6, paragraph 2383? **Related Design JTIs:** 1. The certificate holder's instructions and information to personnel concerned state that a crewmember should announce that, "the flight will be landing shortly, now is the time to use the lavatory or move

		3.1.3(OP); 4.2.3(OP); 4.2.4(OP)	
	2.	The certificate holder's instructions and information to personnel concerned state that flight attendants should require passengers to be seated before the passenger loading door is closed.	
		Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2383	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.1(OP); 4.2.4(OP); 4.2.6(OP); 5.1.5(OP)	
1.37.	comply	he certificate holder's Flight Attendant Duties/Cabin Procedures process with the guidance contained in Order 8400.10, volume 3, chapter 16, 6, paragraph 2397?	Yes No, Explain
1.38.	comply	he certificate holder's Flight Attendant Duties/Cabin procedures process with the guidance contained in Order 8400.10, volume 3, chapter 16, of, paragraph 2399?	☐ Yes ☐ No, Explain ☐ Not Applicable
	Related	d Design JTls:	
	1.	The certificate holder's instructions and information to personnel state that a crewmember should ensure that the galley restraints are available.	
		Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399	
		Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP)	
	2.	The certificate holder's instructions and information to personnel state that a crewmember should ensure that the galley restraints are functioning properly.	
		Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399	
		Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP)	
	3.	The certificate holder's instructions and information to personnel state that after landing, flight attendants should ensure that all reports of malfunctioning galley restraints, galley components and galley carts are properly reported/documented.	
		Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399	
		Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)	
	4.	The certificate holder's instructions and information to personnel state that a flight attendant should pull vigorously on carts, oven doors, drawers, and other components to ensure that they are secured.	
		Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)	
	5.	The certificate holder's manual instructions and information to personnel state that a flight attendant should ensure the safe and correct parking of carts on mushrooms, if applicable.	
		Sources: 8400.10, volume 3, chapter 16, section 3, paragraph 2399	
		Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)	
	6.	The certificate holder's instructions and information to personnel concerned state that a flight attendant should ensure that brakes are operational on carts equipped with brakes.	
		Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399	
		Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP);	

4.2.4(OP)

7. The certificate holder's instructions and information to personnel state that a flight attendant should ensure that the key is in the locked position, if keys are applicable to the container.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

8. The certificate holder's instructions and information to personnel state that a flight attendant should ensure galley curtains are secured open for take-off.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

9. The certificate holder's instructions and information to personnel concerned state that a flight attendant should ensure galley curtains are secured open for landing.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

10. The certificate holder's instructions and information to personnel concerned state that a flight attendant should visually check the galley, galley components, and galley cart security.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

11. The certificate holder's instructions and information to personnel concerned state that prior to movement on the surface, a flight attendant should ensure that all primary galley restraints are available and in working order.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

12. The certificate holder's instructions and information to personnel concerned state that prior to movement on the surface, a flight attendant must ensure that all galley items should be picked up and stowed with the exception of paper cups and plastic glasses as long as galley security is maintained.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

13. The certificate holder's instructions and information to personnel concerned state that prior to take-off, flight attendants should ensure that the galley and galley components are properly stowed and restrained.

Sources: 8400.10, volume 3, chapter 16, section 6
Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

14. The certificate holder's instructions and information to personnel concerned state that while in flight flight attendants should ensure that galley carts are not left unattended.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP);

4.2.4(OP)

15. The certificate holder's instructions and information to personnel concerned state that while in flight flight attendants should not be more than 10 feet away (approximately three rows) from carts left in the aisles.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

16. The certificate holder's instructions and information to personnel concerned state that while in flight flight attendants should not park carts out of their normal galley take-off/landing positions unless they can be properly restrained.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

17. The certificate holder's instructions and information to personnel concerned state that while in flight flight attendants may place cart in other cabin locations provided they are equipped with proper restraint devices, such as mushrooms, cart restraint straps, etc., however, most items should be cleared from the top of the carts.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

18. The certificate holder's instructions and information to personnel concerned state that while in flight cart restocking should be done in the galley.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

19. The certificate holder's instructions and information to personnel concerned state that while in flight, when the cart is stationary the brake must be engaged.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

20. The certificate holder's instructions and information to personnel concerned state that Flight attendants should maintain galleys in an orderly fashion. This means supplies should be stowed or left in their containers and tops of the carts should be kept as clear as possible. During light turbulence hot liquids should be removed from the tops of carts.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

21. The certificate holder's instructions and information to personnel concerned state that prior to landing, flight attendants should ensure that all galleys are properly restrained and that galley components are properly stowed and restrained.

Sources: 8400.10, volume 3, chapter 16, section 6, paragraph 2399 Interfaces: 1.3.1(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 4.2.4(OP)

1.39.		ne certificate holder's Flight Attendant Duties/Cabin Procedures process with the guidance contained in FAA Advisory Circular 120-48?	☐ Yes ☐ No, Explain
	Related	d Design JTIs:	□ Not Applicable
	1.	The Certificate Holder's instructions and information to personnel concerned state that flight attendants should inform the captain either by interphone or signal, that the cabin is secure for takeoff.	
		Sources: AC 120-48 5.a	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP)	
	2.	The Certificate Holder's instructions and information to personnel concerned state that flight attendants should inform the captain either by interphone or signal, that the cabin is secure for landing.	
		Sources: AC 120-48 5.a	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP)	
	3.	The Certificate Holder's instructions and information to personnel concerned state that flight attendants should advise the flight crew about the severity of turbulence so that the seatbelt sign can be illuminated.	
		Sources: AC 120-48 5.b.	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP)	
	4.	The Certificate Holder's instructions and information to personnel concerned state that flight attendants should be aware of all conditions of the emergency prior to selecting and briefing passenger assistance. <i>Sources:</i> AC 120-48 5.c.	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP)	
	5.	The Certificate Holder's instructions and information to personnel concerned state that during an emergency flight attendants should know the nature of the emergency, time available to prepare the cabin, what the bracing signal will be and if there are any special instructions.	
		Sources: AC 120-48 7.	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP)	
	6.	The Certificate Holder's instructions and information to personnel concerned state that flight attendants should participate in preflight briefings that should include crew member names, weather, estimated flight time, unusual circumstances, flight deck entry procedures, review of emergency communication procedures, details of meal service or any other topics pertinent to safety and flight operations.	
		Sources: AC 120-48 9.a.	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP); 5.1.5(OP)	
1.40.		ne certificate holder's Flight Attendant Duties/Cabin Procedures process with the guidance contained in FAA Advisory Circular 120-88A?	☐ Yes ☐ No, Explain
1.41.	comply	ne certificate holder's Flight Attendant Duties/Cabin Procedures process with the guidance contained in FAA Advisory Circular 121-24C?	Yes No, Explain
	_	d Design JTIs:	Not Applicable
	1.	The certificate holder's instructions and information to personnel	

	2.	concerned state that at forward facing seats equipped with inertial reel shoulder harness, the flight attendants should sit back in the seat and rest their chins on their sternum when assuming a brace position. The flight attendants' arms and hands should be positioned in their laps or holding onto the side of their seats, but should not be holding onto their restraint system. Sources: AC 121-24C Appendix 4 a. Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP) The certificate holder's instructions and information to personnel	
		concerned state that at forward facing seats equipped with non-inertial reel type shoulder harnesses, the flight attendants should fasten their shoulder harnesses as tight as possible, lean against them, and rest their chins on their sternums when assuming a brace position. The flight attendants' arms and hands should be positioned in their laps or holding onto the side of their seats, but should not be holding onto their restraint system. Sources: AC 121-24C Appendix 4 a.	
		Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP)	
	3.	The certificate holder's instructions and information to personnel concerned state that in rear facing flight attendant seats, the flight attendants should sit back in their seats, rest their heads against their seat backs or head rests and have the restraint systems, either inertial or non-inertial type as tight as possible when assuming a brace position. Their hands should not be clasped behind their heads, but may be positioned as in forward facing seat.	
		Sources: AC 121-24C Appendix 4 a. Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP)	
1.42.	comply	ne certificate holder's Flight Attendant Duties/Cabin Procedures process with the guidance contained in FAA Advisory Circular 121-33B? d Design JTIs:	☐ Yes ☐ No, Explain ☐ Not Applicable
	1.	The certificate holder's instructions and information to personnel concerned state that flight attendants should grant access to the equipment only to trained crewmembers or to other persons qualified and trained in the use of emergency medical equipment. Sources: AC 121-33B 11	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.1(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP); 5.1.5(OP)	
	2.	The certificate holder's instructions and information to personnel concerned state that it would be preferable for flight attendants to check the credentials of passengers holding themselves out as medical specialists. Sources: AC 121-33B 11	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.1(OP); 3.1.3(OP); 4.2.3(OP); 4.2.4(OP); 4.2.6(OP); 5.1.5(OP)	
1.43.	comply	ne certificate holder's Flight Attendant Duties/Cabin Procedures process with the guidance contained in the FAA legal interpretation regarding 2 part 121, section 393 dated May 8, 2001?	☐ Yes ☐ No, Explain

2. ☐ Yes Does the certificate holder's manual contain general policies for the Flight Attendant Duties/Cabin Procedures process that comply with the SRRs? No, Explain SRRs: 121.135(b)(1); 121.306(a); 121.333(a); 121.333(d); 121.333(f); 121.337(c)(2); 121.391(a); 121.391(b); 121.397(a); 121.397(b); 121.542(b); 121.549(b); 121.570(a); 121.570(b); 121.571(a); 121.573(a); 121.577(a); 121.577(b); 121.577(c); 121.577(d); 121.580 Related Design JTIs: The Certificate Holder manual system contains a policy that no person 1. may operate any prohibited portable electronic device on its U.S. registered civil aircraft under 14CFR Part 121 except as provided by 14 CFR 121.306(b). Sources: 121.135(b)(1); 121.306(a) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.1(OP); 3.1.3(OP); 4.2.4(OP) 2. The Certificate Holder's manual system contains a policy that when operating a turbine powered airplane with a pressurized cabin the Certificate Holder shall furnish oxygen and dispensing equipment in the event of cabin pressurization failure. Sources: 121.135(b)(1); 121.333(a) Interfaces: 1.1.2(AW); 1.1.2(OP); 2.1.1(AW); 2.1.1(OP); 4.2.4(OP) 3. The Certificate Holder's manual system contains a policy that no person may cause an airplane carrying passengers to be moved on the surface, take-off, and landing unless each automatically deployable emergency evacuation assisting means is ready for evacuation. Sources: 121.135(b)(1); 121.570(a) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP) The Certificate Holder's manual system contains a policy that at all 4. times passengers are on board prior to airplane movement on the surface, at least one floor-level exit provides for the egress of passengers through normal or emergency means. Sources: 121.135(b)(1); 121.570(b) Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP) 5. The Certificate Holder's manual system includes a policy that each Certificate Holder operating a passenger carrying airplane shall ensure that all passengers are orally briefed by the appropriate crewmember. Sources: 121.135(b)(1); 121.571(a) Interfaces: 2.1.1(AW); 2.1.1(OP); 3.1.1(OP); 4.2.4(OP) The Certificate Holder's manual system contains a policy that it must 6. provide and use means to prevent each item of galley equipment and each serving cart, when not in use, and each item of crew baggage, which is carried in a passenger or crew compartment from becoming a hazard by shifting under the appropriate load factors corresponding to the emergency landing conditions under which the airplane was type certificated. Sources: 121.135(b)(1); 121.576 Interfaces: 1.3.1(AW); 1.3.9(AW); 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.5(OP); 3.1.8(OP); 4.2.4(OP) The Certificate Holder's manual system contains a policy that the 7. Certificate Holder may not permit movement of an airplane on the surface, take-off, or land when any food, beverage, or tableware

		furnished by the Certificate Holder is located at any passenger seat.	
		Sources: 121.135(b)(1); 121.577(a)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	8.	The Certificate Holder's manual system contains a policy that the Certificate Holder may not permit an airplane to move on the surface, take-off, or land unless each food and beverage tray and seat back tray table is secured in its stowed position.	
		Sources: 121.135(b)(1); 121.577(b)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	9.	The Certificate Holder's manual system contains a policy that the Certificate Holder may not permit an airplane to move on the surface, take-off, or land unless each passenger serving cart is secured in its stowed position.	
		Sources: 121.135(b)(1); 121.577(c)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	10.	The Certificate Holder's manual system contains a policy that the Certificate Holder may not allow an airplane to move on the surface, take-off, or land unless each movie screen that extends into an aisle is stowed.	
		Sources: 121.135(b)(1); 121.577(d)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	11.	The Certificate Holder's manual system will describe the functions for each type and model of airplane, assigned to each category of required crewmember, as appropriate, the necessary functions to be performed in an emergency or a situation requiring emergency evacuation. The Certificate Holder shall show those functions in 121.397(a) are realistic, can be practically accomplished, and will meet any reasonably anticipated emergency including the possible incapacitation of individual crewmembers or their inability to reach the passenger cabin because of shifting cargo in combination cargo-passenger airplanes <i>Sources:</i> 121.397(a); 121.397(b) <i>Interfaces:</i> 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
	12.	The Certificate Holder's manual system includes the functions of each category of required crewmembers under paragraph (a) of 121.397.	
		Sources: 121.397(b)	
		Interfaces: 2.1.1(AW); 2.1.1(OP); 4.2.4(OP)	
		X // X // X = /	
3.	Regula attribute	ne certificate holder's manual reference the appropriate Federal Aviation tions listed in the Supplemental Information section of this safety e inspection (SAI)? 121.135(b)(3)	Yes No, Explain
4.		ne certificate holder's manual contain the duties and responsibilities for	Yes
	personi process	nel who will accomplish the Flight Attendant Duties/Cabin Procedures s?	☐ No, Explain
	SRRs:	121.135(b)(2)	
5.		ne certificate holder's manual include instructions and information for neel to meet the requirements of the Flight Attendant Duties/Cabin	☐ Yes ☐ No, Explain

Procedures process?	
SRRs: 121.135(a)(1)	

SAI SECTION 1 - PROCEDURES ATTRIBUTE Drop-Down Menu

- 1. No procedures, policy, instructions or information specified.
- 2. Procedures or instructions and information do not identify (who, what, when, where, how).
- 3. Procedures, policy or instructions and information do not comply with CFR.
- 4. Procedures, policy or instructions and information do not comply with FAA policy and guidance.
- 5. Procedures, policy or instructions and information do not comply with other documentation (e.g., manufacturer's data, Jeppesen's Charts, etc.).
- 6. Procedures, policy or instructions and information unclear or incomplete.
- 7. Documentation quality (e.g., unreadable or illegible).
- 8. Procedures, policy or instructions and information inconsistent across Certificate Holder manuals (FOM Flight Operations Manual to GMM General Maintenance Manual, etc.).
- 9. Procedures, policy or instructions and information inconsistent across media (e.g., paper, microfiche, electronic).
- 10. Resource requirements incomplete (personnel, facilities, equipment, technical data).
- 11. Other.

SAI SECTION 2 - CONTROLS ATTRIBUTE

Objective: Controls are checks and restraints designed into a process to ensure a desired result. The questions in this section of the DCT are designed to assist the inspector in determining if checks and restraints are designed into the process to ensure the desired result is achieved. Controls should be written into the manual system to ensure that the most important manual policies, procedures, or instructions and information will be followed.

Controls may be in the form of administrative controls, which are secondary or supplemental written procedures. Like written procedures, administrative controls also need to provide answers to questions

rega	regarding who, what, when, where, and how. Controls may also be in the form of engineered controls, such as automated features or mechanical actions or devices (i.e., safety devices, warning devices, etc.).		
Task	Tasks		
	To meet this objective, the inspector must accomplish the following tasks:		
1.	Review the control questions below.		
2.	Review the certificate holder's policies, procedures, instructions, and information to gain an understanding of the controls that it has documented.		

Questions		
	To meet this objective, the inspector must answer the following questions:	
1.	Are the following controls built into the Flight Attendant Duties/Cabin Procedures process:	
1.1.	Is there a control or controls in place to ensure that required cabin preflight duties are conducted in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.2.	Is there a control or controls in place to ensure that checks of emergency and flotation equipment are accomplished by appropriate personnel?	☐ Yes ☐ No, Explain
1.3.	Is there a control or controls in place to ensure that crew briefings are conducted in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.4.	Is there a control or controls in place to ensure that all flight attendants are in possession of a current manual when performing assigned duties?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.5.	Is there a control or controls in place to ensure that flight attendants are evenly distributed throughout the aircraft in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.6.	Is there a control or controls in place to ensure that flight attendants prepare the passenger cabin for movement on the surface, takeoff, and landing in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.7.	Is there a control or controls in place to ensure that aircraft exits are armed/disarmed in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.8.	Is there a control or controls in place to ensure that safety demonstrations and passenger briefings are accomplished in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.9.	Is there a control or controls in place to ensure that the flight deck door is closed	Yes

	and locked in accordance with the certificate holder's procedures?	☐ No, Explain
1.10.	Is there a control or controls in place to ensure that flight attendants are properly restrained at their assigned duty stations for movement on the surface, takeoff, and landing, unless performing safety-related duties?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.11.	Is there a control or controls in place to ensure that galleys and carts are secured during movement on the surface, takeoff, landing, and when not in use, in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.12.	Is there a control or controls in place to ensure that flight attendants observe sterile flight deck procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.13.	Is there a control or controls in place to ensure that restricted passengers (such as armed individuals, prisoners, escorts, and intoxicated passengers) are not served alcohol?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.14.	Is there a control or controls in place to ensure that cabin maintenance discrepancies are documented in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.15.	Is there a control or controls in place to ensure that all passenger irregularities/disturbances are reported in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.16.	Is there a control or controls in place to ensure that the certificate holder's procedures for the number of required crewmembers onboard the aircraft are followed?	☐ Yes ☐ No, Explain
1.17.	Is there a control or controls in place to ensure that passengers remaining onboard during en route stops are monitored in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.18.	Is there a control or controls in place to ensure that the certificate holder's procedures regarding prohibited electronic devices are followed?	☐ Yes ☐ No, Explain
1.19.	Is there a control or controls in place to ensure that flight attendants monitor passenger compliance with regulations throughout the flight?	Yes No, Explain Not Applicable
1.20.	Is there a control or controls in place to ensure that flight attendants know the certificate holder's normal operating procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.21.	Is there a control or controls in place to ensure that flight attendants know the certificate holder's emergency procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
2.	Does the certificate holder have a documented method for assessing the impact of any changes made to the controls in the Flight Attendant Duties/Cabin Procedures process?	☐ Yes ☐ No, Explain

	SAI SECTION 2 - CONTROLS ATTRIBUTE	
	Drop-Down Menu	
1.	No controls specified.	
2.	Documentation for the controls do not identify (who, what, when, where, how).	
3.	Controls incomplete.	
4.	Controls could be circumvented.	
5.	Controls could be unenforceable.	
6.	Resource requirements incomplete (personnel, facilities, equipment, technical data).	
7.	Other.	

SAI SECTION 3 - PROCESS MEASUREMENT ATTRIBUTE

Objective: Process measurements are used by the certificate holder to measure and assess its processes, to identify and correct problems or potential problems, and to make improvements to the processes. The questions in this section of the DCT are designed to assist the inspector in determining if the certificate holder measures or assesses information to identify, analyze, and document potential problems with the process. Process measurements are a certificate holder's internal evaluation or auditing of the most important policies, procedures, or instructions and information associated with an element.

To prevent the duplication of work, process measurements are most commonly addressed through a combination of auditing features contained in both the certificate holder's safety program/internal evaluation program (for operations and cabin safety-related issues) and the auditing function of the Continuous Analysis and Surveillance System (for airworthiness or maintenance/inspection-related issues). The director of safety and the quality assurance department often work together to accomplish this function for the certificate holder. This approach requires amendment of the safety program/internal evaluation program audit forms or checklists and the Continuous Analysis and Surveillance System audit forms or checklists to include the specific process measurements for each element.

Tasi	Tasks	
	To meet this objective, the inspector must accomplish the following tasks:	
1.	Review the process measurement questions below.	
2.	Review the certificate holder's policies, procedures, instructions, and information to gain an understanding of the process measurements that it has documented.	

Questions		
	To meet this objective, the inspector must answer the following questions:	
1.	Does the certificate holder's Flight Attendant Duties/Cabin Procedures process include the following process measurements:	
1.1.	Is there a process measurement or process measurements that would identify if required cabin preflight duties were not conducted in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.2.	Is there a process measurement or process measurements that would identify if checks of emergency and flotation equipment were not accomplished by appropriate personnel?	☐ Yes ☐ No, Explain
1.3.	Is there a process measurement or process measurements that would identify if a crew briefing was not conducted in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.4.	Is there a process measurement or process measurements that would identify if flight attendants failed to be in possession of a current manual when performing assigned duties?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.5.	Is there a process measurement or process measurements that would identify if flight attendants failed to be evenly distributed throughout the aircraft in accordance with the certificate holder's procedures?	Yes No, Explain Not Applicable
1.6.	Is there a process measurement or process measurements that would identify if flight attendants failed to prepare the passenger cabin for movement on the surface, takeoff, and landing, in accordance with the certificate holder's procedures?	Yes No, Explain Not Applicable

1.7.	Is there a process measurement or process measurements that would identify if aircraft exits were not armed/disarmed in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.8.	Is there a process measurement or process measurements that would identify if safety demonstrations and passenger briefings were not accomplished in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.9.	Is there a process measurement or process measurements that would identify if the flight deck door was not closed and locked in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.10.	Is there a process measurement or process measurements that would identify if flight attendants failed to be properly restrained at their assigned duty stations for movement on the surface, takeoff, and landing, unless performing safety-related duties?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.11.	Is there a process measurement or process measurements that would identify if galleys and carts were not secured during movement on the surface, takeoff, landing, or when not in use, in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.12.	Is there a process measurement or process measurements that would identify if flight attendants failed to observe sterile flight deck procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.13.	Is there a process measurement or process measurements that would identify if restricted passengers (such as armed individuals, prisoners, escorts, and intoxicated passengers) were served alcohol?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.14.	Is there a process measurement or process measurements that would identify if cabin maintenance discrepancies were not documented in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.15.	Is there a process measurement or process measurements that would identify if passenger irregularities/disturbances were not reported in accordance with the certificate holder's procedures?	Yes No, Explain
1.16.	Is there a process measurement or process measurements that would identify if the certificate holder's procedures for the number of required crewmembers onboard the aircraft were not followed?	☐ Yes ☐ No, Explain
1.17.	Is there a process measurement or process measurements that would identify if passengers remaining onboard during en route stops were not monitored in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.18.	Is there a process measurement or process measurements that would identify if the certificate holder's procedures regarding portable electronic devices were not followed?	☐ Yes ☐ No, Explain
1.19.	Is there a process measurement or process measurements that would identify if flight attendants failed to monitor passenger compliance with the regulations throughout the flight?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.20.	Is there a process measurement or process measurements that would identify if flight attendants did not know the certificate holder's normal operating procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.21.	Is there a process measurement or process measurements that would identify if flight attendants did not know the certificate holder's emergency procedures?	Yes No, Explain Not Applicable
2.	Is there a process measurement or process measurements that would reveal if	Yes

	the certificate holder's policy, procedures, instructions, and information contained in its manual were not followed?	│
3.	Does the certificate holder document its process measurement results?	☐ Yes ☐ No, Explain
4.	Does the certificate holder's manual provide for the use of process measurement results to improve its programs?	☐ Yes ☐ No, Explain
5.	Does the organization that conducts the process measurements have direct access to the person with responsibility for the Flight Attendant Duties/Cabin Procedures process?	☐ Yes ☐ No, Explain

SAI SECTION 3 - PROCESS MEASUREMENT ATTRIBUTE Drop-Down Menu

- 1. No process measurements specified.
- 2. Documentation for the process measurements does not identify (who, what, when, where, how).
- 3. Inability to identify negative findings.
- 4. No provisions for implementing corrective actions.
- 5. Ineffective follow-up to determine effectiveness of corrective actions.
- 6. Resources requirements (personnel, facilities, equipment, technical data).
- 7. Other.

SAI SECTION 4 - INTERFACES ATTRIBUTE

Objective: Interfaces are used by the certificate holder to identify and manage the interactions between processes. The questions in this section of the DCT are designed to assist the inspector in determining whether or not interactions between the policies, procedures, or instructions and information associated with other independent processes within the certificate holder's organization are documented. Written policies, procedures, or instructions and information that are interrelated and located in different manuals within the certificate holder's manual system must be consistent and complement each other. For the interfaces to be effectively managed, it is not only important to identify what the interfaces are, but it is imperative to document the specific location of the interfaces within the certificate holder's manual system.

0,00			
Tasi	Tasks		
	To meet this objective, the inspector must accomplish the following tasks:		
1.	Review the interfaces associated with the Flight Attendant Duties/Cabin Procedures process that have been identified along with the individual questions in section 1, Procedures, of this DCT.		
2.	Review the certificate holder's policies, procedures, instructions, and information to gain an understanding of the interfaces that it has documented.		

Que	Questions		
	To meet this objective, the inspector must answer the following questions: NOTE: The design job task items (JTIs) displayed with the questions in section 1, Procedures, of this DCT identify potential interfaces (by element number) for this element.		
1.	Does the certificate holder's manual properly address the interfaces that are identified along with the questions in section 1, Procedures, of this DCT?	Yes No, Explain	
2.	Does the certificate holder's manual document a method for assessing the impact of any changes to the associated interfaces within the Flight Attendant Duties/Cabin Procedures process?	☐ Yes ☐ No, Explain	

SAI SECTION 4 - INTERFACES ATTRIBUTE Drop-Down Menu

- 1. No interfaces specified.
- 2. The following interfaces not identified within the Certificate Holder's manual system:
- 3. Interfaces listed are inaccurate.
- 4. Specific location of interfaces not identified within the manual system.
- 5. Other

SAI SECTION 5 - MANAGEMENT RESPONSIBILITY & AUTHORITY ATTRIBUTES

Objective: The questions in this section of the DCT address the responsibility and authority of the process. They are designed to assist the inspector in determining if there is a clearly identifiable, qualified, and knowledgeable person who is responsible for the process, is answerable for the quality of the process, and has the authority to establish and modify the process. (The person with the authority may or may not be the person with the responsibility.)

шау	may of may not be the person with the responsibility.)		
Tasi	Tasks		
	To meet this objective, the inspector must accomplish the following tasks:		
1.	Identify the person who has overall responsibility for the Flight Attendant Duties/Cabin Procedures process.		
2.	Identify the person who has overall authority for the Flight Attendant Duties/Cabin Procedures process.		
3.	Review the duties and responsibilities of the person(s) documented in the certificate holder's manual.		
4.	Review the appropriate organizational chart.		

Que	Questions		
	To meet this objective, the inspector must answer the following questions:		
1.	Does the certificate holder's manual clearly identify who is responsible for the quality of the Flight Attendant Duties/Cabin Procedures process?	Yes No, Explain Name/Title:	
2.	Does the certificate holder's manual clearly identify who has authority to establish and modify the policies, procedures, instructions, and information for the Flight Attendant Duties/Cabin Procedures process?	Yes No, Explain Name/Title:	
3.	Does the certificate holder's manual include the duties and responsibilities of those who manage the work required by the Flight Attendant Duties/Cabin Procedures process? SRRs: 121.135(b)(2)	☐ Yes ☐ No, Explain	
4.	Does the certificate holder's manual include instructions and information for those who manage the work required by the Flight Attendant Duties/Cabin Procedures process? SRRs: 121.135(a)(1)	☐ Yes ☐ No, Explain	
5.	Does the certificate holder's manual clearly and completely document the responsibility for this position?	☐ Yes ☐ No, Explain	
6.	Does the certificate holder's manual clearly and completely document the authority for this position?	☐ Yes ☐ No, Explain	
7.	Does the certificate holder's manual clearly and completely document its qualification standards for the person having responsibility for the Flight Attendant Duties/Cabin Procedures process?	Yes No, Explain	
8.	Does the certificate holder's manual clearly and completely document its qualification standards for the person having authority to establish and modify the certificate holder's policies, procedures, instructions, and information for the Flight Attendant Duties/Cabin Procedures process?	Yes No, Explain	

9.	Does the certificate holder's manual clearly and completely document the procedures for delegation of authority for the Flight Attendant Duties/Cabin Procedures process?	Yes No, Explain
----	---	-----------------

SAI SECTION 5 - MANAGEMENT RESPONSIBILITY & AUTHORITY ATTRIBUTES Drop-Down Menu

- 1. Not documented.
- 2. Documentation unclear.
- 3. Documentation incomplete.
- 4. Other.